



User guide for Quality fields



TEAM SPIRIT
CUSTOMER FOCUS
INNOVATION
SUSTAINABILITY
EMPOWERMENT



*Smart
For Good*

GENERAL INFORMATION



RELATIONSHIP MEDIA LIBRARY / PRODUCT PAGE

List of active certificates are uploaded by Group Product Quality Manager into the PIM media library :

02_NORMS CERTIFICATES (47)

☒ Tout sélectionner | ☐ Tout désélectionner

Filtres ▾ Ajout de média ▾

 24203045- OFG.pdf Media 2.05 Mo ID 93390	 ACS_21 ACC LY 206_Mar_2026.pdf Media 248.58 Ko ID 94116	 ACS_21 ACC LY 338_Apr_2026.jpg Media 901.11 Ko ID 94121	 ACS_21 ACC NY 308_Nov_2026.pdf Media 1.21 Mo ID 94113	 ACS_21 ACC NY 309_Nov_2026.pdf Media 1.17 Mo ID 94120
 ACS_22 ACC LY 494_Jul_2027.pdf Media 279.01 Ko ID 94122	 ACS_22 ACC NY 127_Mar_2027.pdf Media 1.21 Mo ID 94115	 ACS_22 ACC NY 173_May_2027.pdf Media 947.86 Ko ID 94119	 ACS_22 ACC NY 069_Mar_2027.pdf Media 2.11 Mo ID 94118	 ACS_22 ACC NY 456_Nov_2027.pdf Media 1.45 Mo ID 94128

And the drop-down menus/checkboxes are configured by the PIM administrator.

RELATIONSHIP MEDIA LIBRARY / PRODUCT PAGE

KIWA PDF certificates uploaded on PIM media library

02_NORMS CERTIFICATES (47)

Tout sélectionner

Tout désélectionner

Filtres

Ajout de média

ACS_24 ACC LY 671_Jan_2030.pdf

Media | 2.03 Mo | ID 94130

ACS_24 ACC LY 672_Jan_2030.pdf

Media | 2.01 Mo | ID 94129

ACS_24 ACC NY 657_Nov_2029.pdf

Media | 679.88 Ko | ID 94117

KIWA_2211709_Nov_2027.pdf

Media | 166.76 Ko | ID 93773

KIWA_2211723_Nov_2027.pdf

Media | 166.98 Ko | ID 93775

KIWA_2309784_Sep_2028.pdf

Media | 171.21 Ko | ID 93769

KIWA_2309812_Sep_2028.pdf

Media | 165.64 Ko | ID 93761

KIWA_2310790_Oct_2028.pdf

Media | 166.52 Ko | ID 93774

KIWA_2408740_Aug_2029.pdf

Media | 172.61 Ko | ID 93770

KIWA_2504761_Apr_2030.pdf

Media | 174.73 Ko | ID 93768

KIWA_2508716_Aug_2030.pdf

Media | 181.77 Ko | ID 93776

LONGTIME_226340-20825.pdf

Media | 256.84 Ko | ID 93226

LONGTIME_964813-17345.pdf

Media | 157.21 Ko | ID 93227

NF017_WIRQ02.pdf

Media | 417.84 Ko | ID 93222

NF076_262_U1.pdf

Media | 337.75 Ko | ID 93219

Checkboxes in PIM product interface

KIWA

Mise à jour le 28/07/2026 13:15:55

par SBE

No

KIWA - Certificate n° and pdf liste

☐ KIWA_2211709_Nov_2027

☐ KIWA_2211723_Nov_2027

☐ KIWA_2309784_Sep_2028

☐ KIWA_2309812_Sep_2028

☐ KIWA_2310790_Oct_2028

☐ KIWA_2408740_Aug_2029

☐ KIWA_2504761_Apr_2030

☐ KIWA_2508716_Aug_2030

Example on KIWA certificates

wirquin

WGP-FS-C - WGP-FS-MKT-019-Ind A / Application date: 05/02/2024 / Page 4

RELATIONSHIP MEDIA LIBRARY / PRODUCT PAGE

It is mandatory that when filling the Excel export sheet, you respect the naming of the certificate.



You will find attached in the Excel file “Certificates list – All” a summary of all the certificates, including the required namings.

→ Simply copying and pasting this into the Excel export sheet to be completed will be sufficient to link it to the PDF file.

ACS	KIWA	LONGTIME	NF	WRAS	WRL
ACS_21 ACC LY 206_Mar_2026	KIWA_2211709_Nov_2027	LONGTIME_226340-20825	NF017_WIRQ02	WRAS_2203023_Mar_2027	WRL_RWC97171-2025_CCX01WH
ACS_21 ACC LY 338_Apr_2026	KIWA_2211723_Nov_2027	LONGTIME_964813-17345	NF076_262_U1	WRAS_2212304_Dec_2027	WRL_RWC97171-2025_CFS06WH
ACS_21 ACC NY 308_Nov_2026	KIWA_2309812_Sep_2028		NF076_262_U2	WRAS_2212317_Dec_2027	
ACS_21 ACC NY 309_Nov_2026	KIWA_2504761_Apr_2030		NF076_262_U4	WRAS_2303360_Mar_2028	
ACS_22 ACC LY 494_Jul_2027	KIWA_2408740_Aug_2029		NF077_345_M1	WRAS_2303375_Mar_2028	
ACS_22 ACC NY 127_Mar_2027	KIWA_2310790_Oct_2028		NF240_WIRQ01	WRAS_2310323_Oct_2028	
ACS_22 ACC NY 173_May_2027	KIWA_2508716_Aug_2030			WRAS_2311324_Nov_2028	
ACS_22 ACC NY 069_Mar_2027	KIWA_2309784_Sep_2028			WRAS_241204717_Dec_2029	
ACS_22 ACC NY 456_Nov_2027				WRAS_250801701_Aug_2030	
ACS_24 ACC NY 189_Jun_2029				WRAS_250804704_Aug_2030	
ACS_24 ACC NY 413_Sep_2029					
ACS_24 ACC NY 596_Oct_2029					
ACS_24 ACC NY 597_Oct_2029					
ACS_24 ACC NY 598_Oct_2029					
ACS_24 ACC LY 671_Jan_2030					
ACS_24 ACC LY 672_Jan_2030					
ACS_24 ACC NY 657_Nov_2029					

WHAT NEEDS TO BE FILLED OUT?

Several files have been created, per MDU, for each product category. Folder [here](#)
Example below for WMRo folder :



One Excel export sheet for each product category, to be filled in.
When completed, these sheets will be imported by the Group into the PIM.

RESULT

SKU 10120446

Some columns have been hidden to only show KIWA and WRAS filling :

DicoID_3592	DicoID_48	DicoID_4995	DicoID_3276	DicoID_4996
SKU/Reference/Int	KIWA	KIWA - Certificate n° and pdf	WRAS	WRAS - Certificate n° and pdf
10120446	Yes	KIWA_2309812_Sep_2028	Yes	WRAS_2310323_Oct_2028

Excel export sheet filled with certificate information, with correct naming.



PDF certificates are now displaying on the product page and can be directly downloaded if needed.

Result on PIM

Quality - product norms

BSI	No
KIWA	 Yes
KIWA - Certificate n° and pdf liste	 KIWA_2309812_Sep_2028
LONGTIME®	 Yes
LONGTIME® - Certificate n° and pdf	 964813-17345
LONGTIME® - Text	The independent LONGTIME® label certifies our commitment to the reliability and repairability of our MW2 mechanism and allows you to make an intelligent and reliable purchase.
NF	No
Origine France Garantie	No
RoHS	No
WRAS	 Yes
WRAS - Certificate n° and pdf	 WRAS_2303375_Mar_2028

IMPORTANT

Please contact Group Product Quality Manager :

- If you have certificates saved on local folders that need to be put on Group network
- If you have certificates that must be uploaded into the PIM media library
- If a type of certification is not listed and needs to be integrated into the PIM
- If you notice any discrepancies or have any doubts
- Please note that some data included in the export is outdated and may be incorrect
→ always double-check with the information that you have

1

WHERE TO FIND THE INFORMATION



LOCATION OF THE RAW DATA

Information about product certifications/declarations, when available, can be found on different locations :

- Wirquin Group network

I:\00-WGP-Groupe\WGP 099 Référentiels Normes\WGP-00-Certificats\WGP-10 Produits

- Wirquin Local network

files managed by the BU, saved on local folders

- ERP software

- Packaging file

- Others

WIRQUIN GROUP NETWORK

I:\00-WGP-Groupe\WGP 099 Référentiels Normes\WGP-00-Certificats\WGP-10 Produits

 _ à ne pas consulter	02/06/2026 17:00	Dossier de fichiers
 ACS	08/07/2026 11:14	Dossier de fichiers
 BMARK	28/07/2026 11:00	Dossier de fichiers
 CUPC	09/06/2026 17:09	Dossier de fichiers
 DOP and DOPC	02/06/2026 13:53	Dossier de fichiers
 KITEMARK	09/06/2026 16:52	Dossier de fichiers
 KIWA	07/07/2026 16:36	Dossier de fichiers
 LONGTIME	07/07/2026 16:37	Dossier de fichiers
 NF	28/07/2026 12:25	Dossier de fichiers
 PEFC FSC	09/06/2026 17:27	Dossier de fichiers
 SABS	09/06/2026 17:29	Dossier de fichiers
 SOLAR IMPULSE	31/03/2026 16:23	Dossier de fichiers
 Technical Agreement and Declaration of conformity (RO)	27/04/2026 16:02	Dossier de fichiers
 Voluntary declaration of conformity	23/07/2026 14:06	Dossier de fichiers
 Water Rationalization Label (SASO)	27/07/2026 17:46	Dossier de fichiers
 WATERMARK	07/07/2026 16:37	Dossier de fichiers
 WELS (water efficiency labelling scheme)	07/07/2026 16:38	Dossier de fichiers
 WRAS	16/06/2026 14:30	Dossier de fichiers

Due to the multitude of possible certifications and their varying operating methods, the type and quantity of available information differ.

This makes the task more difficult for the NF mark, for example, because product references (SKU) are not listed on the certificates.

WIRQUIN GROUP NETWORK

Different cases :

Certificates **with** validity date

The product so mentioned will be valid until the end of:

March 2027

Example on WRAS_2203023_Mar_2027

or **without** validity date (active until certificate renewal)

Décision de Certification / Certification decision N° **262-U1-26/1** du **26/03/2026**
Cette décision se substitue à la décision / This decision replaces the decision N° **262-U1-25/1**
Décision d'admission initiale **262-U1-94/1** du **06/05/1994**

Example on NF076_262_U1

Certificates **with** SKU reference

MODEL(S)
81811129,
10120446,
10120021.


Example on KIWA_2309812_Sep_2028

or **without** SKU reference (no SKU shared with the certification body, only a commercial name)

Réf Commerciale	N° ACS	Code CSTB	Q Max (l/min)	Matériau
Reference	ACS N.	CSTB code	Flow Max	Material
Gamme / Range: JAMES				
BONDES / WASTES				
Type app. / App. Type : Douche / Shower				
5040		T10A	24	P
5043		T10A	24	P
5050		T10A	24	P

Example on NF077_345_M1

SKU
INFORMATION
AVAILABLE



WIRQUIN GROUP NETWORK

- ACS
- BMARK
- CUPC
- DOP and DOPC
- KITEMARK
- KIWA
- LONGTIME
- NF
- PEFC FSC
- SABS
- SOLAR IMPULSE
- Technical Agreement and Declaration of conformity (RO)
- Voluntary declaration of conformity
- Water Rationalization Label (SASO)
- WATERMARK
- WELS (water efficiency labelling scheme)
- WRAS**

- Certificate**
- Requests
- Test report

- Active**
- Old
- WRAS certificates list**

Official certificates, in PDF

- WRAS_2203023_Mar_2027
- WRAS_2212304_Dec_2027
- WRAS_2212304_Letter
- WRAS_2212317_Dec_2027
- WRAS_2212317_Letter
- WRAS_2303360_Mar_2028
- WRAS_2303375_Mar_2028
- WRAS_2310323_Oct_2028
- WRAS_2311324_Nov_2028
- WRAS_241204717_Dec_2029
- WRAS_250801701_Aug_2030
- WRAS_250804704_Aug_2030


Extracts from certificates to get the complete list in one Excel file

Range	Product	WRAS Certificate	Expiration date	Certificate active (Yes / No)	PIM	Comment
	CJ302	WRAS_2203023_Mar_2027	03/2027	Yes	Not found	
	CJ305	WRAS_2203023_Mar_2027	03/2027	Yes	Not found	
Jollyfill air	220160	WRAS_2212304_Dec_2027	12/2027	Yes	Not found	
Jollyfill air	10120694	WRAS_2212304_Dec_2027	12/2027	Yes	Yes	
Jollyfill air	220158	WRAS_2212304_Dec_2027	12/2027	Yes	Not found	
Jollyfill air	10120703	WRAS_2212304_Dec_2027	12/2027	Yes	Yes	
Jollyfill air	220161	WRAS_2212304_Dec_2027	12/2027	Yes	Not found	
Jollyfill air	10120701	WRAS_2212304_Dec_2027	12/2027	Yes	Yes	
Jollyfill air	220159	WRAS_2212304_Dec_2027	12/2027	Yes	Not found	
Jollyfill air	10120693	WRAS_2212304_Dec_2027	12/2027	Yes	Yes	
Jollyfill air telescopic	220163	WRAS_2212317_Dec_2027	12/2027	Yes	Not found	
Jollyfill air telescopic	10120687	WRAS_2212317_Dec_2027	12/2027	Yes	Yes	
Jollyfill air telescopic	220162	WRAS_2212317_Dec_2027	12/2027	Yes	Not found	
Jollyfill air telescopic	10120700	WRAS_2212317_Dec_2027	12/2027	Yes	Yes	
Wirquin ONE	10120440	WRAS_2303360_Mar_2028	03/2028	Yes	Yes	
Nabis dual flush	10120413	WRAS_2303375_Mar_2028	03/2028	Yes	Yes	Archived
Jollyflush / Jollytronic	81811129	WRAS_2310323_Oct_2028	10/2028	Yes	Not found	
Jollyflush / Jollytronic	10120446	WRAS_2310323_Oct_2028	10/2028	Yes	Yes	
Jollyflush / Jollytronic	10120021	WRAS_2310323_Oct_2028	10/2028	Yes	Yes	
Flush valve	DSD1538	WRAS_2311324_Nov_2028	11/2028	Yes	Yes	

WIRQUIN GROUP NETWORK


Example shown on previous slide is also valid for :

- BMARK



List likely not up to date


- KIWA




- Water Rationalization Label (WRL)



- Attestation de Conformité Sanitaire (ACS)






SKU
INFORMATION
UNAVAILABLE



SKU INFORMATION UNAVAILABLE ON CERTIFICATES

For products that are not listed by their SKU in the certificates, but only fall under a general certificate (NF, FSC ..), one method can help to determine whether they are part of certificates or not.


This involves opening the packaging files on PIM and checking for the presence of the logos :



IMPORTANT : when checking the packaging file, verify that SKU reference :
(it can happen that the PDF file does not correspond to the SKU)



HOW TO FIND PACKAGING FILE



Search for your SKU

Click on the “pin” icon



Scroll down to the media section



In the “Item packaging file_PKFIL », download the PDF



BMARK LOGO

SKU 10722802

MÉCANISME DE CHASSE D'EAU
A.C.D.P. double chasse
FLUSH MECHANISM
with cable, dual flush

3/6L

HEIGHT ADJUSTABLE

EXTENSIBLE

FR

Mécanisme double chasse 3/6 L avec surverse extensible. Testé 200 000 cycles: soit plus de 35 ans d'utilisation pour une famille de 4 personnes. Mécanisme à câble, ajustement à la hauteur du réservoir. Diamètre du trou de coparc: 14-46 mm. Hauteur du réservoir: 300-420 mm.

EN

Water-saving mechanism 3/6L with extendable overflow. Tested 200 000 cycles: more than 35 years of use for a family of four-person. Mechanism to cable, fit at the height of the tank. Hole diameter cover: 14-46 mm. Tank height: 300-420 mm.

NL

Waterbesparend spoelmechanisme 3/6 L met uitbrekbare overloop. 200.000 cycli getoet: meer dan 35 jaar gebruik voor een gezin van vier personen. Mechanisme met kabel, aanpasbaar aan de hoogte van het reservoir. Gatenmaat deksel 14-46 mm. Reservoirhoogte: 300-420 mm.

ES

Mecanismo ahorro de agua 3/6L con rebosadero extensible. Probado con 200.000 ciclos más de 35 años de uso para una familia de cuatro personas. Mecanismo con cable, altura ajustable al tanque de agua. Diámetro del agujero tapa 14-46 mm. Altura del tanque: 300-420 mm.

IT

Mecanismo doppio scarico 3/6L con troppo pieno estensibile. Testato per 200.000 cicli: corrisponde a più di 35 anni di uso per una famiglia di 4 persone. Meccanismo a cavo, regolabile all'altezza della cassetta WC. Diametro del foro del coparchio: 14-46 mm. Altezza della cassetta WC: da 300 a 420 mm.

PT

Mecanismo de duplo descarga de 3/6 litros com tubo Bordo extensível. Testado até 200.000 ciclos: mais de 35 anos de utilização para uma família de 4 pessoas. Mecanismo de cabo, ajustável à altura do depósito. Diâmetro do orifício da tampa 14-46 mm. Altura do depósito: 300-420 mm.

DE

Zweimengen-Spülmechanismus 3/6 L mit ausziehbarer Überlauf. In 200.000 Zyklen getestet: entspricht der Nutzung einer vierköpfigen Familie für mehr als 35 Jahre. Kabelzug, einstellbare Anpassung an die Höhe des Spülkastens. Lochdurchmesser im Spülkastendeckel 14-46 mm. Höhe des Spülkastens: 300-420 mm.

PL

Podwójny mechanizm spłukujący 3/6 l z wysuwającym przebiegiem. Przetestowano 200 000 cykli: ponad 35 lat użytkowania dla dwuosobowej rodziny. Mechanizm ściągany, regulacja wysokości zbiornika. Średnica otworu w pokrywie: 14-46 mm. Wysokość zbiornika: 300-420 mm.

RO

Mecanism WC 3/6L cu pragă extensibilă la funcție de economisire a apei. Testat 200.000 de cicluri: mai mult de 35 de ani de utilizare pentru o familie de patru persoane. Mecanism cu cablu, se poate regla înălțimea rezervorului. Diametrul orificiului pentru buton: 14-46 mm. Înălțimea rezervorului: 300-420 mm.

RU

Водосберегающий механизм 3/6 л с выдвижным переливом. Протестировано 200 000 циклов: более 35 лет эксплуатации для семьи из четырех человек. Тросовый механизм позволяет устанавливать клапан на разные высоты. Диаметр отпорного штыря: 14-46 мм. Поддон от 300 до 420 мм.

BG

Механизъм с двойно промиване 3/6 л с преглъщане с издължителност за удебеляване. Тестован е 200 000 цикъла над 35 години употреба за 4-членно семейство. Кабелен механизъм с регулиране по височината на резервоара. Диаметър на отвора на капачка: 14-46 mm. Височина на резервоара: 300-420 mm.

FIABLE & RÉPARABLE
RELIABILITY & REPAIRABILITY

CONCU POUR
DURER

LONGTIME
LABEL ENDORSEMENT

10722802

3 375537 226805

2212704

WIRQUIN

WIRQUIN LTD
11 rue du Château de Bel Air
44400 Courmayeur, France

WIRQUIN ROMANIA
Unit 3, Alpha Court, Capital
Park, Cluj Napoca, DN67-2
400110 ROMANIA

WIRQUIN BIELSKA
24 de Muradas, Alameda
E 300405, Vila
PORTUGAL

WIRQUIN CALIF
Pajaron Industrial Park
Village 101 La Brea Rd
90205 San Juan De Capistrano
California, USA

WIRQUIN MANUFACTURING
2 Beckwith Road,
Alexander Park, Durban
KwaZulu Natal 4001
SOUTH AFRICA

111

Wyrób zgodny z normą PN-EN 14055:2018-11, KDWU Typ wyrobu: 10722802 nr 14/2018, Materiał: PP; Temp.max. 90°C.

The number next to the logo is important, because in the Excel export sheet for ID_2824, you must fill the information with “B mark YYYY” (yyyy for year)
Here, “11” means “2011”

DicoID_2824	DicoID_4819
B Mark	B Mark - Certificate
B mark 2021	
B mark 2021	
B mark 2011	
B mark 2011	
B mark 2011	
B mark 2011	
B mark 2011	


WGP-FS-C - WGP-FS-MKT-019-Ind A / Application date: 05/02/2024 / Page 20

NF LOGO

SKU 10721827

For NF, in addition to the logo, the designation filed with the certification body must be present on the packaging. This makes it possible to link the SKU to the certificate and fully complete the NF fields.

→ See next slide



“MW2 PCS EXT LOCK” is written on packaging and is present on certificate NF076_262_U1 :



Information on packaging PDF file

Référence	Référence CSTB	Perçage	Type	Volume Chasse (L)	Réservoirs
Reference	CSTB Reference	Drilling Cover	Type	Flush Volume	Cisterns
Gamme / Range: --					
Réglage / Setting : Oui / Yes					
A279	K03	14-50	Poussoir	3/6	–
MVB00	K01b)	14-46	Poussoir	9/6	–
MVB3	K01c)	39-45	Poussoir	9/6	Non
MW00	K01a)	14-46	Poussoir	9/6	–
MW2 PCS EXT	K02a)	14-47	Poussoir	3/6	–
MW2 PCS EXT LOCK	K02c)	14-47	Poussoir	9/6	–
MWB3 PCS EXT	K02b)	14-47	Poussoir	9/6	–

Screenshot of certificate NF076_262_U1

Excel export sheet filled with certificate information, with correct naming :

DicoID_359	DicoID_28	DicoID_4873	DicoID_3737	DicoID_4829
SKU/Refere	NF	NF - Certificate n°	NF - CSTB code	NF - CSTB designation
10721827	Yes	NF076_262_U1	K02c)	MW2 PCS EXT LOCK

IMPORTANT

Special case : some SKUs have several certificates issued by the same certification body

- **Products sold in a pack (example : inlet valve and outlet mechanism both NF certified)**

Inlet valve is NF certified on certificate NF076_262_U1
Outlet mechanism is NF certified on certificate NF076_262_U2

→ In the Excel export sheet, put “##NewItem##” between the two certificates

NF - Certificate n° and pdf

NF076_262_U1##NewItem##NF076_262_U2



Quality - product norms			
KIWA	No		
NF		Yes	
NF - Certificate n° and pdf			NF076_262_U1
			NF076_262_U2

- **Assembly of several certified products (example : hydrotherapy range)**

SKU 60724985 (shower kit)
Handshower has ACS certificate ACS_24 ACC NY 189_Jun_2029
Shower hose has ACS certificate ACS_22 ACC NY 127_Mar_2027

→ In the Excel export sheet, put “##NewItem##” between the two certificates

ACS ACS - Certificate n° and pdf

Yes ACS_22 ACC NY 127_Mar_2027##NewItem##ACS_24 ACC NY 189_Jun_2029



Quality - product norms			
ACS		Yes	
ACS - Certificate n° and pdf			ACS_22 ACC NY 127_Mar_2027
			ACS_24 ACC NY 189_Jun_2029

SUMMARY

Certificate / declaration	SKU on certificate	How to fill Excel export sheet
ACS	YES	Open ACS certificate list and copy/past data certificate info
BMARK	YES	Open BMARK certificate list and copy/past data certificate info + Open PDF packaging file on PIM and look for BMARK logo/code
CE Marking and DOP	?	Waiting for WMRo information
FSC	NO	Already filled – Nothing to do
GOST	?	Waiting for WMRu information
KIWA	YES	Already filled – Nothing to do
LONGTIME	NO	Already filled – Nothing to do
NF	NO	Open PDF packaging file on PIM and look for NF logo/code
Origine France Garantie (OFG)		Already filled – Nothing to do
RoHS	?	For electronic devices (wc tronic for example)
Solar Impulse	NO	Already filled – Nothing to do
Water rationalization Label	YES	Already filled – Nothing to do
Watermark	NO	Waiting for WMCh information
Water Efficiency Labelling Scheme	NO	Waiting for WMCh information
WRAS	YES	Already filled – Nothing to do

THANK YOU



TEAM SPIRIT
CUSTOMER FOCUS
INNOVATION
SUSTAINABILITY
EMPOWERMENT

wirquin

***Smart
For Good***